



Designation: D 5117 – 9603

Standard Test Method for Dye Penetration of Solid Fiberglass Reinforced Pultruded Stock¹

This standard is issued under the fixed designation D 5117; the number immediately following the designation indicates the year of original adoption or, in the case of revision, the year of last revision. A number in parentheses indicates the year of last reapproval. A superscript epsilon (ε) indicates an editorial change since the last revision or reapproval.

1. Scope*

1.1 This dye-penetrant test method covers a means of evaluating solid fiberglass reinforced pultruded ~~rock~~ rod stock for longitudinal wicking. There are generally three mechanisms that promote wicking, any or all of which may be operating at a given time.

NOTE 1—The specimen's cross-section may reflect delaminations, longitudinal continuous voids, or the presence of hollow fibers, or all three. Occasionally these flaws may be detected by this test, but other tests are usually required.

1.2 The results of a wicking test are dependent on specimen type and size, penetrant type, time of exposure in the penetrant, penetrant viscosity, etc. Any attempt to use a wicking test to establish specification criteria should be made with great care.

1.3 The values stated in either SI units or inch-pound units are to be regarded separately as standard. The values stated in each system may not be exact equivalents; therefore, each system shall be used independently of the other. Combining values from the two systems may result in nonconformance with the standard.

1.4 *This standard does not purport to address all of the safety concerns, if any, associated with its use. It is the responsibility of the user of this standard to establish appropriate safety and health practices and determine the applicability of regulatory limitations prior to use.* For specific hazard statements, see 10.3 and 10.6.

NOTE 2—There is no similar or equivalent ISO standard.

¹ This test method is under the jurisdiction of ASTM Committee D20 on Plastics and is the direct responsibility of Subcommittee D20.18 on Reinforced Thermosetting Plastics.

Current edition approved Nov. 10, 1996; November 1, 2003. Published May 1997; January 2004. Originally published as D 5117—90; approved in 1990. Last previous edition approved in 1996 as D 5117 — 96.