



Standard Test Method for Microscopical Determination of the Reflectance of Vitrinite Dispersed in Sedimentary Rocks¹

This standard is issued under the fixed designation D7708; the number immediately following the designation indicates the year of original adoption or, in the case of revision, the year of last revision. A number in parentheses indicates the year of last reapproval. A superscript epsilon (ϵ) indicates an editorial change since the last revision or reapproval.

1. Scope

1.1 This test method covers the microscopical determination of the reflectance measured in oil of polished surfaces of vitrinite dispersed in sedimentary rocks. This test method can also be used to determine the reflectance of macerals other than vitrinite dispersed in sedimentary rocks.

1.2 The values stated in SI units are to be regarded as standard. No other units of measurement are included in this standard.

1.3 *This standard does not purport to address all of the safety concerns, if any, associated with its use. It is the responsibility of the user of this standard to establish appropriate safety and health practices and determine the applicability of regulatory limitations prior to use.*

2. Referenced Documents

2.1 *ASTM Standards:*²

[D121 Terminology of Coal and Coke](#)

[D388 Classification of Coals by Rank](#)

[D2797 Practice for Preparing Coal Samples for Microscopical Analysis by Reflected Light](#)

[D2798 Test Method for Microscopical Determination of the Vitrinite Reflectance of Coal](#)

[E177 Practice for Use of the Terms Precision and Bias in ASTM Test Methods](#)

[E691 Practice for Conducting an Interlaboratory Study to Determine the Precision of a Test Method](#)

3. Terminology

3.1 *Definitions*—For definitions of terms, refer to Terminology [D121](#).

3.2 *Abbreviations:*

3.2.1 *R_{o,ran}*—mean random reflectance measured in oil. Other organizations may use other abbreviations for mean random reflectance.

3.3 *Definitions of Terms Specific to This Standard:*

3.3.1 *alginite, n*—a liptinite maceral occurring in structured morphologies, telalginite, and unstructured morphologies, lamalginite.

3.3.2 *bituminite, n*—an amorphous primary liptinite maceral with low reflectance, occasionally characterized by colored internal reflections and weak orange-brown fluorescence, derived from bacterial biomass and the bacterial decomposition of algal material and faunal plankton. Bituminite is equivalent to the amorphous organic matter recognized in strew slides of concentrated kerogen **(1)**.³

3.3.2.1 *Discussion*—Bituminite may be distinguished from vitrinite by lower reflectance, as well as higher fluorescence intensity if fluorescence is present in vitrinite. Bituminite has poorly-defined wispy boundaries and may be speckled or unevenly colored whereas vitrinite has distinct boundaries and is blockier and evenly colored. The occurrence of bituminite in association with lamalginite and micrinite is common. Rock type, thermal maturity, and geologic occurrence can be used to interpret the potential presence of bituminite; for example, bituminite may be expected to occur in lacustrine or marine settings. It is less commonly present in fluvial or similar proximal depositional environments, where vitrinite may be expected to occur in greater abundance.

3.3.3 *chitinozoan, n*—a group of flask-shaped, sometimes ornamented marine microfossils of presumed metazoan origin which are composed of 'pseudochitin' proteinic material and which occur individually or in chains. Chitinozoan cell walls are thin, opaque to translucent, and range from dark gray to white in reflected white light similar to vitrinite. Chitinozoans are common in Ordovician to Devonian marine shales.

3.3.4 *conodont, n*—the phosphatic, tooth-like remains of marine vertebrate worm-like animals present from the Cambrian through Triassic, composed predominantly of apatite with subordinate amounts of organic matter. Conodont morphology is variable, but often well-defined denticles and blades

¹ This test method is under the jurisdiction of ASTM Committee [D05](#) on Coal and Coke and is the direct responsibility of Subcommittee [D05.28](#) on Petrographic Analysis of Coal and Coke.

Current edition approved May 1, 2014. Published May 2014. Originally appeared in 2011 as D7708-11. DOI: 10.1520/D7708-14.

² For referenced ASTM standards, visit the ASTM website, www.astm.org, or contact ASTM Customer Service at service@astm.org. For *Annual Book of ASTM Standards* volume information, refer to the standard's Document Summary page on the ASTM website.

³ The boldface numbers in parentheses refer to a list of references at the end of this standard.