



Designation: D 2572 – 97 (Reapproved 2003)^{ε1}

Standard Test Method for Isocyanate Groups in Urethane Materials or Prepolymers¹

This standard is issued under the fixed designation D 2572; the number immediately following the designation indicates the year of original adoption or, in the case of revision, the year of last revision. A number in parentheses indicates the year of last reapproval. A superscript epsilon (ε) indicates an editorial change since the last revision or reapproval.

This standard has been approved for use by agencies of the Department of Defense.

^{ε1} NOTE—Keywords were added editorially in July 2003.

1. Scope

1.1 This test method covers the determination of the isocyanate group (NCO) content of a urethane intermediate or prepolymer.

1.2 *This standard does not purport to address all of the safety concerns, if any, associated with its use. It is the responsibility of the user of this standard to establish appropriate safety and health practices and determine the applicability of regulatory limitations prior to use.* For specific hazard statements, see Section 8.

2. Referenced Documents

2.1 *ASTM Standards:*

¹ This test method is under the jurisdiction of ASTM Committee D-1, D01 on Paint and Related Coatings, Materials, and Applications and is the direct responsibility of Subcommittee D01.33 on Polymers and Resins.

Current edition approved Nov. 10, 1997; 2003. Published June 1998; July 2003. Originally published as D 2572 – 67 T; approved in 1967. Last previous edition approved in 1997 as D 2572 – 94 T.