Designation: C 76M – 03

METRIC

Standard Specification for Reinforced Concrete Culvert, Storm Drain, and Sewer Pipe [Metric][1]

This standard is issued under the fixed designation C 76M; the number immediately following the designation indicates the year of original adoption or, in the case of revision, the year of last revision. A number in parentheses indicates the year of last reapproval. A superscript epsilon (ϵ) indicates an editorial change since the last revision or reapproval.

This standard has been approved for use by agencies of the Department of Defense.

1. Scope

1.1 This specification covers reinforced concrete pipe intended to be used for the conveyance of sewage, industrial wastes, and storm water, and for the construction of culverts.

1.2 This specification is the metric counterpart of Specification C 76.

NOTE 1—This specification is a manufacturing and purchase specification only, and does not include requirements for bedding, backfill, or the relationship between field load condition and the strength classification of pipe. However, experience has shown that the successful performance of this product depends upon the proper selection of the class of pipe, type of bedding and backfill, controlled manufacture in the plant, and care and installation conforms to the construction specifications. The owner of the reinforced concrete pipe specified herein is cautioned that he must correlate the field requirements with the class of pipe specified and provide inspection at the construction site.

NOTE 2—Attention is called to the specification for reinforced concrete D-load culvert, storm drain, and sewer pipe (ASTM Designation C 655M).

2. Referenced Documents

2.1 *ASTM Standards:*

A 82 Specification for Steel Wire, Plain, for Concrete Reinforcement[2]

A 185 Specification for Steel Welded Wire Reinforcement, Plain, for Concrete[2]

A 496 Specification for Steel Wire, Deformed, for Concrete Reinforcement[2]

A 497 Specification for Steel Welded Wire Reinforcement, Deformed, for Concrete[2]

A 615/A 615M Specification for Deformed and Plain Billet-Steel Bars for Concrete Reinforcement[2]

C 33 Specification for Concrete Aggregates[3]

C 150 Specification for Portland Cement[4]

C 309 Specification for Liquid Membrane-Forming Compounds for Curing Concrete[3]

C 497M Test Methods for Concrete Pipe, Manhole Sections, or Tile [Metric][5]

C 595 Specification for Blended Hydraulic Cements[4]

C 618 Specification for Fly Ash and Raw or Calcined Natural Pozzolan for Use as a Mineral Admixture in Concrete[3]

C 655M Specification for Reinforced Concrete D-Load Culvert, Storm Drain, and Sewer Pipe [Metric][5]

C 822 Terminology Relating to Concrete Pipe and Related Products[5]

C 1116 Specification for Fiber-Reinforced Concrete and Shotcrete[3]

3. Terminology

3.1 *Definitions*—For definitions of terms relating to concrete pipe, see Terminology C 822.

4. Classification

4.1 Pipe manufactured in accordance with this specification shall be of five classes identified as Class I, Class II, Class III, Class IV, and Class V. The corresponding strength requirements are prescribed in Tables 1-5.

5. Basis of Acceptance

5.1 Unless otherwise designated by the owner at the time of, or before placing an order, two separate and alternative bases of acceptance are permitted as follows:

5.1.1 *Acceptance on the Basis of Plant Load-Bearing Tests, Material Tests, and Inspection of Manufactured Pipe for Visual Defects and Imperfections*—Acceptability of the pipe in all diameters and classes produced in accordance with 7.1 or 7.2 shall be determined by the results of the three-edge bearing tests for either the load to produce a 0.3-mm crack, or at the

[1] This specification is under the jurisdiction of ASTM Committee C13 on Concrete Pipe and is the direct responsibility of Subcommittee C13.02 on Reinforced Sewer and Culvert Pipe.

Current edition approved May 10, 2003. Published August 2003. Originally approved in 1980. Last previous edition approved in 2002 as C 76M–02.

[2] *Annual Book of ASTM Standards*, Vol 01.04.

[3] *Annual Book of ASTM Standards*, Vol 04.02.

[4] *Annual Book of ASTM Standards*, Vol 04.01.

[5] *Annual Book of ASTM Standards*, Vol 04.05.

Copyright © ASTM International, 100 Barr Harbor Drive, PO Box C700, West Conshohocken, PA 19428-2959, United States.