



Designation: C 270 – 02

Standard Specification for Mortar for Unit Masonry¹

This standard is issued under the fixed designation C 270; the number immediately following the designation indicates the year of original adoption or, in the case of revision, the year of last revision. A number in parentheses indicates the year of last reapproval. A superscript epsilon (ϵ) indicates an editorial change since the last revision or reapproval.

This standard has been approved for use by agencies of the Department of Defense.

1. Scope *

1.1 This specification covers mortars for use in the construction of non-reinforced and reinforced unit masonry structures. Four types of mortar are covered in each of two alternative specifications: (1) proportion specifications and (2) property specifications.

1.2 The proportion or property specifications shall govern as specified.

NOTE 1—When the property specification is used to qualify masonry mortars, the testing laboratory performing the test methods should be accredited in accordance with Practice C 1093.

1.3 When neither proportion or property specifications are specified, the proportion specifications shall govern, unless data are presented to and accepted by the specifier to show that mortar meets the requirements of the property specifications.

1.4 The text of this standard references notes and footnotes which provide explanatory material. These notes and footnotes (excluding those in tables and figures) shall not be considered as requirements of the standard.

1.5 The following safety hazards caveat pertains only to the test methods section of this specification: *This standard does not purport to address all of the safety concerns, if any, associated with its use. It is the responsibility of the user of this standard to establish appropriate safety and health practices and determine the applicability of regulatory limitations prior to use.*

2. Referenced Documents

2.1 ASTM Standards:

- C 5 Specification for Quicklime for Structural Purposes²
- C 91 Specification for Masonry Cement²
- C 109 Test Method for Compressive Strength of Hydraulic Cement Mortars (Using 2-in. or [50-mm] Cube Specimens)²
- C 110 Test Methods for Physical Testing of Quicklime, Hydrated Lime, and Limestone²

¹ This specification is under the jurisdiction of ASTM Committee C12 on Mortars and Grouts for Unit Masonry and is the direct responsibility of Subcommittee C12.03 on Specifications for Mortars.

Current edition approved Aug. 10, 2002. Published October 2002. Originally published as C 270–51T. Last previous edition C 270–01a.

² *Annual Book of ASTM Standards*, Vol 04.01.

- C 128 Test Method for Density, Relative Density (Specific Gravity), and Absorption of Fine Aggregates³
- C 144 Specification for Aggregate for Masonry Mortar⁴
- C 150 Specification for Portland Cement²
- C 188 Test Method for Density of Hydraulic Cement²
- C 207 Specification for Hydrated Lime for Masonry Purposes²
- C 305 Practice for Mechanical Mixing of Hydraulic Cement Pastes and Mortars of Plastic Consistency²
- C 511 Specification for Moist Cabinets, Moist Rooms, and Water Storage Tanks Used in the Testing of Hydraulic Cements and Concretes²
- C 595 Specification for Blended Hydraulic Cements²
- C 780 Test Method for Preconstruction and Construction Evaluation of Mortars for Plain and Reinforced Unit Masonry⁴
- C 979 Specification for Pigments for Integrally Colored Concrete³
- C 1093 Standard Practice for Accreditation of Testing Agencies for Unit Masonry⁴
- C 1157 Performance Specification for Hydraulic Cement²
- C 1324 Test Method for Examination and Analysis of Hardened Masonry Mortar⁴
- C 1329 Specification for Mortar Cement²
- C 1489 Specification for Lime Putty²
- E 514 Test Method for Water Penetration and Leakage Through Masonry⁴
- E 518 Test Methods for Flexural Bond Strength of Masonry⁴
- 2.2 *Masonry Industry Council*:⁵
Hot and Cold Weather Masonry Construction Manual, January 1999

3. Specification Limitations

3.1 Specification C 270 is *not* a specification to determine mortar strengths through field testing.

3.2 Laboratory testing of mortar to ensure compliance with the property specification requirements of this specification shall be performed in accordance with 5.3. The property

³ *Annual Book of ASTM Standards*, Vol 04.02.

⁴ *Annual Book of ASTM Standards*, Vol 04.05.

⁵ Available from the Mason Contractors Association of America, 1910 South Highland Avenue, Suite 101, Lombard, IL 60148.

***A Summary of Changes section appears at the end of this standard.**