



Standard Specification for Materials for Shotcrete¹

This standard is issued under the fixed designation C 1436; the number immediately following the designation indicates the year of original adoption or, in the case of revision, the year of last revision. A number in parentheses indicates the year of last reapproval. A superscript epsilon (ε) indicates an editorial change since the last revision or reapproval.

1. Scope

1.1 This specification covers materials for use in hydraulic-cement concrete mixtures to be placed by shotcreting. It does not cover mixing, placement, curing, or protection of the concrete placed by shotcreting.

1.2 This specification covers materials for both wet-mix and dry-mix shotcreting.

1.3 The values stated in SI units are to be regarded as the standard.

1.4 The following precautionary statement pertains only to the test method portions of the specification: *This standard does not purport to address all of the safety concerns, if any, associated with its use. It is the responsibility of the user of the standard to establish appropriate safety and health practices and determine the applicability of regulatory limitations prior to use.*

2. Referenced Documents

2.1 ASTM Standards:

C 33 Specification for Concrete Aggregates²

C 125 Terminology Relating to Concrete and Concrete Aggregates²

C 150 Specification for Portland Cement³

C 330 Specification for Lightweight Aggregates for Structural Concrete²

C 595 Specification for Blended Hydraulic Cements³

C 1116 Specification for Fiber-Reinforced Concrete and Shotcrete²

C 1141 Specification for Admixtures for Shotcrete²

C 1157 Performance Specification for Blended Hydraulic Cement³

C 1385 Practice for Sampling Materials for Shotcrete²

3. Terminology

3.1 The terms used in this specification are defined in Terminology C 125 or Specification C 1141.

4. Ordering Information

4.1 In the absence of designated applicable general specifications, the purchaser shall include the following information in the purchase contract or order, if applicable:

4.1.1 The specification designation and date of issue,

4.1.2 Specification for cement and type (see 5.1.1),

4.1.3 Grading number for total combined aggregates required (see 5.1.2),

4.1.4 Specification, type, and grade(s) for admixtures required (see 5.1.4), and

4.1.5 Specification, type, length, and if appropriate the diameter (or equivalent cross-sectional dimensions) of fiber required (see 5.1.5).

5. Material Requirements

5.1 In the absence of designated applicable specifications covering requirements for quality of materials, the following requirements shall govern:

5.1.1 *Cement*—Cement shall be in accordance with Specification C 150, Specification C 595, or Performance Specification C 1157. If special properties are required, the purchaser shall limit the choice of cements to those suitable for the special use.

5.1.2 *Aggregates*—Aggregates shall be in accordance with Specification C 33 or Specification C 330 if lightweight shotcrete is specified by the purchaser except that the grading of the total aggregate constituent of the shotcrete shall be in accordance with the requirements prescribed in Table 1 for the grading number specified.

NOTE 1—The ranges shown in Table 1 are by necessity wide in order to accommodate nationwide conditions. For quality control of any specific operation, a producer should develop an average grading for the particular source and production facilities, and control the grading within reasonable tolerances from this average.

5.1.3 *Water*—The mixing water shall be in accordance with the requirements for water prescribed in Specification C 1116.

5.1.4 *Admixtures*—Mineral and chemical admixtures shall be in accordance with Specification C 1141.

5.1.5 *Fibers*—Fibers shall be in accordance with the requirements for fibers prescribed in Specification C 1116.

6. Sampling

6.1 Access shall be provided to the purchaser for sampling, either at the point of manufacture or at the site of the work, as

¹ This specification is under the jurisdiction of Committee C-9 on Concrete and Concrete Aggregates and is the direct responsibility of Subcommittee C09.46 on Shotcrete.

Current edition approved Sept. 10, 1999. Published September 1999.

² Annual Book of ASTM Standards, Vol 04.02.

³ Annual Book of ASTM Standards, Vol 04.01.