



Designation: D 1712 – 9603

Standard Practice for Resistance of Plastics to Sulfide Staining¹

This standard is issued under the fixed designation D 1712; the number immediately following the designation indicates the year of original adoption or, in the case of revision, the year of last revision. A number in parentheses indicates the year of last reapproval. A superscript epsilon (ε) indicates an editorial change since the last revision or reapproval.

1. Scope*

- 1.1 This practice covers the determination of the resistance of plastics to staining in the presence of sulfides.
- 1.2 The values stated in SI units are to be regarded as the standard.
- 1.3 *This standard does not purport to address all of the safety concerns, if any, associated with its use. It is the responsibility of the user of this standard to establish appropriate safety and health practices and determine the applicability of regulatory limitations prior to use.* For specific precaution statements, see Section 6.

NOTE 1—There is no equivalent ISO standard.

2. Referenced Documents

2.1 ASTM Standards:

¹ This practice is under the jurisdiction of ASTM Committee D-20 on Plastics and is the direct responsibility of Subcommittee D20.50 on ~~Permanence Properties~~.
~~Durability of Plastics~~.

Current edition approved Nov. March 10, 1996; 2003. Published January 1997; April 2003. Originally published as D 1712 – 60 T; approved in 1960. Last previous edition D 1712 – 89.

Sections 1.5, 3, and 13 were added approved in September 1996. 1996 as D 1712 – 96.

*A Summary of Changes section appears at the end of this standard.