



Standard Practice for Computed Tomographic (CT) Examination of Castings¹

This standard is issued under the fixed designation E 1814; the number immediately following the designation indicates the year of original adoption or, in the case of revision, the year of last revision. A number in parentheses indicates the year of last reapproval. A superscript epsilon (ε) indicates an editorial change since the last revision or reapproval.

1. Scope

1.1 This practice covers a uniform procedure for the examination of castings by the computed tomography (CT) technique. The requirements expressed in this practice are intended to control the quality of the nondestructive examination by CT and are not intended for controlling the acceptability or quality of the castings. This practice implicitly suggests the use of penetrating radiation, specifically X rays and gamma rays.

1.2 This practice provides a uniform procedure for a CT examination of castings for one or more of the following purposes:

1.2.1 Examining for discontinuities, such as porosity, inclusions, cracks, and shrink;

1.2.2 Performing metrological measurements and determining dimensional conformance; and

1.2.3 Determining reverse engineering data, that is, creating computer-aided design (CAD) data files.

1.3 *This standard does not purport to address all of the safety concerns, if any, associated with its use. It is the responsibility of the user of this standard to establish appropriate safety and health practices and determine the applicability of regulatory limitations prior to use.* For specific safety statements, see Section 7, *NBS Handbook 114*,² and 21 CFR 1020.40 and 29 CFR 1910.96.

2. Referenced Documents

2.1 ASTM Standards:

E 543 Practice for Agencies Performing Nondestructive Testing³

E 1316 Terminology for Nondestructive Examinations³

E 1441 Guide for Computed Tomography (CT) Imaging³

E 1570 Practice for Computed Tomographic (CT) Examination³

E 1672 Guide to Computed Tomography (CT) System Selection³

E 1695 Test Method for Measurement of Computed Tomography (CT) System Performance³

2.2 ASNT Documents:⁴

Recommended Practice SNT-TC-1A Personnel Qualification and Certification in Nondestructive Testing

ANSI/ASNT CP-189 Standard for Personnel Qualification and Certification of Nondestructive Testing Personnel

2.3 Military Standards:⁵

MIL-STD-410 Nondestructive Testing Personnel Qualification and Certification

NAS-410 Certification and Qualification of Nondestructive Test Personnel

2.4 Code of Federal Regulations:⁵

21 CFR 1020.40 Safety Requirements of Cabinet X Ray Systems

29 CFR 1910.96 Ionizing Radiation

3. Terminology

3.1 *Definitions*—Definitions of terms applicable to this practice may be found in Terminology E 1316 and Guide E 1441.

3.2 Definitions of Terms Specific to This Standard:

3.2.1 *fixturing*—the mounting hardware used to place the object in the CT system.

3.2.2 *representative quality indicator (RQI)*—a real part, or a fabrication of similar geometry in radiologically similar material to a real part, that has features of known characteristics that represent all of the features for which the parts are being examined.

3.2.3 *scan plan*—scan locations and the system configuration parameters for a specific part examination.

3.2.4 *object*—a part or specimen being subjected to CT examination.

4. Significance and Use

4.1 CT may be performed on an object when it is in the as-cast, intermediate, or final machined condition. A CT examination can be used as a design tool to improve wax forms

¹ This practice is under the jurisdiction of ASTM Committee E07 on Nondestructive Testing and is the direct responsibility of Subcommittee E07.01 on Radiology (X and Gamma) Method.

Current edition approved May 10, 1996. Published July 1996.

² *NBS Handbook 114, General Safety Standard for Installations, Using Non-Medical X-Ray and Sealed Gamma-Ray Sources, Energies Up to 10 MeV*, National Institute of Standards and Technology (NIST), Gaithersburg, MD.

³ *Annual Book of ASTM Standards*, Vol 03.03.

⁴ Available from American Society for Nondestructive Testing, 1711 Arlinggate Plaza, P.O. Box 28518, Columbus, OH 43228-0518.

⁵ Available from DODSSP, Bldg. 4, Section D, 700 Robbins Ave., Philadelphia, PA 19111-5098.